

Logis

Pillar tap 80 for cold water or pre-adjusted water without waste set

Finish: **Chrome** Article Number: **71120000**



Description

product features

- ComfortZone 80
- projection: 84 mm
- spout height: 79 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic valves 90°
- for cold water connection
- connection type: G 3/8 connection hose
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Technology




Certificates / Sustainability




Product image



Scale drawing



Flowchart



Logis


Pillar tap 80 for cold water or pre-adjusted water without waste set

Finish: **Chrome** Article Number: **71120000**



Exploded Drawing

Year of production: >01/15



Logis

Pillar tap 80 for cold water or pre-adjusted water without waste set

Finish: **Chrome** Article Number: **71120000**



Spare part list

Year of production: >01/15

Pos.	Description	Article Number	PC	PU
1	handle for cold water	92237000	10	1
2	handle fixing set	98932000	5	1
3	shut off unit right closing	94009000	9	1
4	aerator M24x1 (5 l/min)	92372000	6	1
5	screw M8 x 68	97736000	2	1
6	flat seal	98749000	2	1
7	fixing set	96016000	8	1
8	connection hose 450 mm M8x0,75 G3/8	97206000	8	1
9	O-ring 7x1,5	98422000	1	1