

Logis

2-handle shower mixer for exposed installation

Finish: **Chrome** Article Number: **71263000**



Description


product features

- 1 function
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate of hand shower at 3 bar: 17 l/min
- ceramic valves hot/cold 90°
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- hose connection DN15
- connection type: s-shaped connections


Product image



Scale drawing



Flowchart




Logis
2-handle shower mixer for exposed installation
 Finish: **Chrome** Article Number: **71263000**



Exploded Drawing

Year of production: >01/15



Logis

2-handle shower mixer for exposed installation

Finish: **Chrome** Article Number: **71263000**



Spare part list

Year of production: >01/15

Pos.	Description	Article Number	PC	PU
1	handle	92536000	8	1
2	handle fixing set	98932000	5	1
3	set of color-rings cold / hot water	96299000	6	1
4	shut off unit right closing	94009000	9	1
5	Hose Connection	96044000	7	1
6	O-ring 14x2	98129000	1	1
7	set of non return valves DW 15	94074000	5	1
8	set of nuts	96157000	8	1
9	connecting thread	97220000	5	1
10	O-ring 15x2	98163000	1	1
11	filter packing	96922000	3	1
12	escutcheon Ø 70 mm	94135000	4	1
13	set of S-unions (±12 mm)	94140000	10	1
14	noise reduction	96429000	2	1
a	set of S-unions (±32 mm)	98592000	9	1