

Logis

Single lever shower mixer for exposed installation with centre distance 15.3 cm

Finish: **Chrome** Article Number: **71630000**



Description

product features

- 1 function
- centre distance: 153 mm
- maximum flow rate at 3 bar: 26 l/min
- flow rate of hand shower at 3 bar: 12 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15


Certificates / Sustainability




Product image



Scale drawing



Flowchart



Shower outlet with 1B-resistance

Logis


Single lever shower mixer for exposed installation with centre distance 15.3 cm

Finish: **Chrome** Article Number: **71630000**



Exploded Drawing

Year of production: >12/17



Logis

Single lever shower mixer for exposed installation with centre distance 15.3 cm

Finish: **Chrome** Article Number: **71630000**



Spare part list

Year of production: >12/17

Pos.	Description	Article Number	PC	PU
1	handle	92224000	10	1
2	screw cover	96338000	1	1
3	flange	97406000	6	1
4	nut	97977000	9	1
5	O-Ring 32x2	98193000	1	1
6	O-ring 33x1,5	98164000	1	1
7	cartridge, assy	92730000	11	1
8	locking screw for handle	95140000	2	1
9	seal	95008000	3	1
10	Hose Connection	96044000	7	1
11	O-ring 14x2	98129000	1	1
12	non return valve	93251000	15	1
13	O-ring 23x2	98398000	1	1
14	noise reduction	96429000	2	1