

Ecostat Select Shower thermostat for exposed installation

Finish: **Chrome** Article Number: **13161000**



Description

product features

- 1 function
- volume control for 1 function
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 10 l/min
- thermostat cartridge, ceramic valve 180°
- maximum flow rate at 3 bar: 12 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- in case of installation on existing G 3/4 connections, adaptor no.02026000 must be used
- Safety stop at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- shelf made of safety glass
- surface shelf: mirror glass
- material handles: metal
- centre distance: 150 ± 12 mm
- connection dimension: DN15
- connection type: s-shaped connections, G 1/2
- dirt filter included

Technology




Certificates / Sustainability



Product image




Scale drawing



Ecostat Select
Shower thermostat for exposed installation
 Finish: **Chrome** Article Number: **13161000**



Flowchart




Shower outlet with 1B-resistance

Ecostat Select
Shower thermostat for exposed installation
 Finish: **Chrome** Article Number: **13161000**



Exploded Drawing

Year of production: >06/11



Ecostat Select
Shower thermostat for exposed installation
 Finish: **Chrome** Article Number: **13161000**



Spare part list

Year of production: >06/11

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	95770000	11	1
2	safety set	95771000	3	1
3	handle fixing set	92130000	2	1
4	nut	98913000	6	1
5	thermostat cartridge	98282000	14	1
6	cartridge for exchanged connections	92373000	18	1
7	shut off unit	94149000	8	1
8	hollow set screw M6x16 including o-ring 29x3	98372000	3	1
9	connecting thread	95392000	6	1
10	O-ring 14x2	98129000	1	1
11	escutcheon	98477000	18	1
12	seal	97530000	2	1
13	non return valve (pressure-resistant up to 2 MPa)	95773000	8	1
14	O-ring 17x2	98199000	1	1
15	set of S-unions	95772000	13	1
16	noise reduction	96429000	2	1
17	O-ring 29x3	98371000	2	1
a	brake disc	92832000	2	1
b	adapter for ball S - union	02026000	99	1
c	ball s-unions with escutcheon	98293000	22	1